



## Utility Committee Meeting

### AGENDA

October 2, 2012

---

I. **CALL TO ORDER**

II. **MATTERS BEFORE COMMITTEE**

1. [Discussion / Approval - Circuit 1 Substation 2 System Upgrade](#)

III. **ADJOURN**



## Utility Committee Meeting

### AGENDA

October 2, 2012

**Item:**

Discussion / Approval - Circuit 1 Substation 2 System Upgrade

**Department:**

**Additional Information:**

**Financial Impact:**

**Budgeted Item:**

**Recommendation / Request:**

Viewing Attachments Requires Adobe Acrobat. [Click here](#) to download.

Attachments / click to download

 [Circuit Upgrade Info](#)

## Beverly Johnson

**From:** Brian Thompson  
**Sent:** Friday, September 28, 2012 8:04 AM  
**To:** Beverly Johnson  
**Subject:** FW: Monroe Spacer Cable Project  
\$

Need to add to agenda

Discussion /Approval System upgrade to Circuit 1 substation 2

---

**From:** Ridings, J [HDS] [mailto:J.Ridings@hdsupply.com]  
**Sent:** Monday, August 27, 2012 7:47 PM  
**To:** Chris Bailey; Brian Thompson  
**Cc:** Castellanos, Melinda L [HDS]  
**Subject:** Monroe Spacer Cable Project \$

Gentlemen,

The following is pricing on the spacer cable project that you asked for. Please call if you have any questions or concerns.

Item	Qty	Product Number / Description		Unit
Price				
1)	6,915 Ft	S0336PA15B3-00	INCLUDED	\$19,987.00
		CABLE 336 AAC 19X Compact Round 15kV		
		75 3Lyr .015 0.075 0.075 CH56 BLK 1C		
		CTO		
		HAC15-TPB		
		CABLE HAC15-TPB. CTO 336.4 KCMIL Aluminum, 15kV 19X		
		Compact Round , Right Hand Lay, H19 Temper, 75 Degree		
		Temp Rating, 3 Layer, .015 Semicon Conductor Shield,		
		0.075 HMWPE Insulation, BLACK 0.075 CH56 Jacket, 0.933		
		Finished Cable OD, Single Conductor.		

COMMODITY      PRICE

Aluminum      0.9562 / Lbs

REQUESTED DELIVERIES

REQUESTED DATE      QUOTED SHIP DATE      QUANTITY

10/26/2012      10/26/2012      6,915

REEL

SHIP BY      #CTNS      QUANTITY UM      DESCRIPTION

Will Advise      3      2305 Ft      REEL WD 48.0 X 27.5 X

21.0 X 31.0 Wide

-0% to +2%

2)      2,305 Ft      MSG052AWA007-01      INCLUDED

COMMODITY      PRICE

Aluminum      0.9562 / Lbs

REQUESTED DELIVERIES

REQUESTED DATE      QUOTED SHIP DATE      QUANTITY

10/26/2012      10/26/2012      2,305

REEL

SHIP BY      #CTNS      QUANTITY UM      DESCRIPTION

Will Advise      1      2305 Ft      REEL WD 38.0 X 20.0 X

22.0 X 23.0 Wide

-0% +2%

3)      1 Ea      BA3-15      INCLUDED

4)      8 Ea      BAS-14F      INCLUDED

5)      15 Ea      BM-14      INCLUDED

6)	1 Ea	BV-35	INCLUDED
7)	12 Ea	CG-0120	INCLUDED
8)	1 Ea	CMA-1	INCLUDED
9)	21 Ea	DEINS15	INCLUDED
10)	4 Ea	HDTC	INCLUDED
11)	24 Ea	HPI-15VTP	INCLUDED
12)	8 Ea	LINEDUC-BL	INCLUDED
13)	18 Ea	LSP-1	INCLUDED
14)	4 Ea	MG-4128	INCLUDED
15)	73 Ea	RTL-15	INCLUDED
16)	3 Ea	SC	INCLUDED
17)	6 Ea	SSP-2	INCLUDED
18)	12 Ea	TC	INCLUDED
19)	14 Ea	TS-1	INCLUDED
20)	1 CL	TAP02CUSTR-00	INCLUDED
21)	1 Ea	ACS-SYSTEM	<u>INCLUDED</u>
TOTAL			\$19,987.00

Prices will be adjusted at the time of shipment, based on the preceding month's

average published price for MW US Transaction aluminum ingot per pound and Comex HG

1st Pos copper per pound as published each month in the McGraw Hill publication

"Metals Week".

COMPOUND CLAUSE:

Event Base Compound Adjustment - When an industry-wide compound increase is

announced, Hendrix will provide documentation of the increase amount. The amount of

the increase will be multiplied against the actual pounds of compound per unit of

measure and the unit price adjusted accordingly. Hendrix will provide a spreadsheet

that details the effect on each item.

\*

Prices firm for 30 days subject to above clauses. All other Hendrix Terms and

Conditions apply.

Recommended installation parts

(11) - BJ - Slack Brackets

(6) - PAS-1 - Angle Stringing Blocks

(2) - Pat-1 - Messenger Angle Tensioning Block

(46) - PBR-3 - Roll by Stringing Block

(1) - SG-1 - Sag Gauge

(1) - ST-2900 - Adjustable Stripping Tool

(46) - TL-30 - Tag Line

(1) - TM-S - Messenger Trolley

(11) - Single Sheave Roller - not supplied by Hendrix

Engineering Comments:

- Guying material, lightning arrester assemblies, and fused cutout assemblies not included.

- Installation equipment configured for 1400 ft, 2 angles, 11 tangents

Thanks,

***Pat Ridings***

Account Manager  
HD Supply Power Solutions  
P: 404.691.2605  
M: 770.330.9472  
F: 404.691.4736  
[j.ridings@hdsupply.com](mailto:j.ridings@hdsupply.com)

**One Team Driving Customer Success and Value Creation**

**CONFIDENTIALITY NOTICE:** This e-mail message (including any attachments) is intended solely for the use of the addressee(s) and may contain information that is proprietary, privileged, confidential or otherwise legally exempt from disclosure. If you are not the intended recipient of this email message, you are not authorized to review, print, copy, disseminate, disclose or use this message, or otherwise take any action in reliance upon this message or its contents. If you have received this message in error, please notify the sender immediately and delete this message and all copies thereof from your computer systems (including servers, laptops, handheld devices and back-up systems).